



# Which uninterruptible power supply company has the best price in Yamoussoukro





## Which uninterruptible power supply company has the best price in Yangzhou?




### Linux Process States

A process performing I/O will be put in D state (uninterruptible sleep), which frees the CPU until there is a hardware interrupt which tells the CPU to return to executing the ...

#### linux

I understand these are uninterruptible sleep states often related to waiting for data from hardware such as a hard disk. This is a production server so rebooting is a very last ...



#### linux

For Linux "defunct" and "zombie" processes are the same. From man ps: Processes marked are dead processes (so-called "zombies") that remain because ...

#### linux

An uninterruptible process is a process which happens to be in a system call (kernel function) that cannot be interrupted by a signal. To understand what that means, you need to



understand ...



C

On one particular system we see WIS-Streamer get stuck in an TASK\_UNINTERRUPTIBLE state; From the command line: the ps status for the process is ...

## How to stop 'uninterruptible' process on Linux?

I have a VirtualBox process hanging around which I tried to kill (KILL/ABORT) but without success. The parent pid is 1 (init). top shows the process as D which is documented as ...



## how to find out what it is waiting for

When looking at the process with "ps ax" the stat column is "D" which means "uninterruptible sleep (usually IO)". Is it possible to find out more details on what the process is ...



## [In Linux, what do all the values in the "top" command mean?](#)

The man page says what the state codes are mapped to, but not what they actually mean. From the top man page: 'D' = uninterruptible sleep 'R' = running 'S' = sleeping ...



## [Do we need to call set\\_current\\_state \(TASK\)](#)

Yes, you must call `set_current_state()` before calling `schedule()`, because otherwise the scheduler will not remove the task from the run queue (if you just want to ...)

## **Why there is a state called `TASK\_UNINTERRUPTIBLE` in Linux ...**

As you could read from that answer, setting the current process state to `TASK_UNINTERRUPTIBLE` is needed for make `schedule()` call, performed by that thread, to ...





## Contact Us

---

For inquiries, pricing, or partnerships:

<https://sccd-sk.eu>

Phone: +32 2 808 71 94

Email: [info@sccd-sk.eu](mailto:info@sccd-sk.eu)

Scan QR code for WhatsApp.

